



CANTILVER BRACKETS & CLAMPS FOR CABLE LADDERS AND CHANNEL

P2663 [HG/SS]




Length "L"	Design Uniform Load kN	Mass kg/100	Part No.
250	3.01	102	P2663250
400	1.88	143	P2663400
550	1.36	186	P2663550
700	1.06	229	P2663700

P5663 [HG]




Length "A"	Design Uniform Load kN	Mass kg/100	Part No.
300	6.93	173	P5663300
450	4.78	224	P5663450
600	3.62	276	P5663600
750	2.91	327	P5663750

PCL Series [HG/SS]



Length "L"	"H1"	"H2"	Design Uniform Load kN	Mass kg/100	Part No.
320	165	86	4.47	170	PCL150
470	165	86	3.17	230	PCL300
635	215	112	3.33	340	PCL450
780	215	112	2.80	380	PCL600


TC Series - Trifoil [HG]



Cable Dia.	Mass kg/100	Part No.
57 - 63	71.2	TC0
51 - 57	66.4	TC1
45 - 51	59.7	TC2
40 - 45	54.8	TC3
39 - 40	55.6	TC3L
34.5 - 39	50.1	TC4
32.5 - 34.5	50.7	TC4L
29 - 32.5	45.0	TC5
26.5 - 29	45.5	TC5L
24 - 26.5	38.8	TC6
22 - 24	39.3	TC6L

"L" denotes clamp with neoprene liner across base.

TF Series - Trifoil [ZP]




Cable Dia.	Dim. A	Dim. B	Part No.
20	92	43	TF20
22	96	47	TF22
24	100	51	TF24
27	106	56	TF27
30	112	62	TF30
33	118	68	TF33
37	126	75	TF37
41	134	83	TF41
45	142	90	TF45

Specifically designed for fixing directly to Unistrut channels.

QF Series Quadfoil [ZP]


Cable Dia.	Dim. A	Dim. B	Part No.
20	92	46	QF20
22	96	50	QF22
24	100	54	QF24
27	106	60	QF27
30	112	66	QF30
33	118	72	QF33
37	126	80	QF37
41	134	88	QF41
45	142	96	QF45

Specifically designed for fixing directly to Unistrut channels.



Conduit Clamp

Part No	Conduit Nom. Size	Conduit Actual Size	Mass Kg/100
P2027	16	15.8	4.5
P2028	20	19.8	5.0
P2030	25	24.8	6.4
P2032	32	31.8	7.3
P2034	40	39.8	8.2
P2037	50	49.8	12.7
P2042	63	62.8	15.9
P2046	65	75.3	18.6
P2050	80	88.9	21.3
P2058	100	114.3	30.4
P2070-62	150	160.2	44.5




Slotted hex head screw and nut included

Sheathed Cable Clamp

Part No	Sheathed Cable O.D	Mass Kg/100
P2024	8	3.6
P2025	11	3.6
P2026	14	4.1
P2027	17	4.5
P2028	19	5.0
P2029	22	5.4
P2030	25	6.4
P2031	29	6.8
P2032	32	7.3
P2033	35	7.7
P2034	38	8.2
P2035	43	8.6
P2036	44	10.6
P2037	49	12.7


Part No.	Sheathed Cable O.D	Mass Kg/100
P2038	51	14.1
P2039	54	14.5
P2040	57	15.0
P2041	60	15.4
P2042	64	15.9
P2043	67	16.8
P2044	70	17.2
P2046	76	18.6
P2047	79	19.5
P2048	83	20.4
P2049	86	20.9
2052	95	26.3
P2055	105	28.1



Slotted hex head screw and nut included

CLAMPS FOR CHANNEL


KS2026-1 Series – Single Cable Clamp



Note: Bottom Saddle if required can be ordered separately

Part No.	Cable Dia.	Dim. A	Dim. B	Mass Kg/100
KS2026-1	13	16	50	5.1
KS2028-1	19	22	58	6.2
KS2030-1	25	29	66	6.8
KS2032-1	32	35	71	8.0
KS2034-1	38	44	78	14.1
KS2036-1	44	51	86	16.0
KS2038-1	51	57	92	17.2
KS2040-1	57	64	98	19.0
KS2042-1	64	70	105	20.8
KS2044-1	70	76	113	22.8
KS2046-1	76	83	122	24.0

KS2026-2 Series – Double Cable Clamp



Note: Bottom Saddle if required can be ordered separately

Part No.	Cable Dia.	Dim. A	Dim. B	Mass Kg/100
KS2026-2	13	16	64	6.1
KS2028-2	19	22	76	7.5
KS2030-2	25	29	91	9.0
KS2032-2	32	35	102	9.7
KS2034-2	38	44	118	18.2
KS2036-2	44	51	128	20.2
KS2038-2	51	57	143	22.8
KS2040-2	57	64	156	26.0
KS2042-2	64	70	170	28.0
KS2044-2	70	76	185	31.6
KS2046-2	76	83	198	33.6