

Product Specifications and Characteristics (ETIM Industrial Standard)

уре	Value	
Brand Name	LANX	
Product Code	LXS1	
Product Description	LANX Australis 1 Gang Switch	
Wiring system	1-pole switch	
Method of operation	Rocker	
Assembly arrangement	Basic element with full cover plate and grid	
Mounting method	Flush mounted	
Type of fastening	Mounting with screw	
Surface treatment	Gloss	
Nominal voltage	250 VAC	
Switching current	16 A	
Dimensions	116mm x 76mm	



Product Specifications and Characteristics (ETIM Industrial Standard)

These specifications and characteristics outline physical, mechanical, electrical details.		
Туре	Value	
Brand Name	LANX	
Product Code	LXS2	
Product Description	LANX Australis 2 Gang Switch	
Wiring system	1-pole switch	
Method of operation	Rocker	
Assembly arrangement	Basic element with full cover plate and grid	
Mounting method	Flush mounted	
Type of fastening	Mounting with screw	
Surface treatment	Gloss	
Nominal voltage	250 VAC	
Switching current	16 A	
Dimensions	116mm x 76mm	









Product Specifications and Characteristics (ETIM Industrial Standard)

These specifications and characteristics outline physical, mechanical, electrical details.		
Туре	Value	
Brand Name	LANX	
Product Code	LXS3	
Product Description	LANX Australis 3 Gang Switch	
Wiring system	1-pole switch	
Method of operation	Rocker	
Assembly arrangement	Basic element with full cover plate and grid	
Mounting method	Flush mounted	
Type of fastening	Mounting with screw	
Surface treatment	Gloss	
Nominal voltage	250 VAC	
Switching current	16 A	
Dimensions	116mm x 76mm	



Product Specifications and Characteristics (ETIM Industrial Standard)

These specifications and characteristics outline physical, mechanical, electrical details.		
Туре	Value	
Brand Name	LANX	
Product Code	LXS4	
Product Description	LANX Australis 4 Gang Switch	
Wiring system	1-pole switch	
Method of operation	Rocker	
Assembly arrangement	Basic element with full cover plate and grid	
Mounting method	Flush mounted	
Type of fastening	Mounting with screw	
Surface treatment	Gloss	
Nominal voltage	250 VAC	
Switching current	16 A	
Dimensions	116mm x 76mm	



Product Specifications and Characteristics (ETIM Industrial Standard)

These specifications and characteristics outline physical, mechanical, electrical details.		
Туре	Value	
Brand Name	LANX	
Product Code	LXS5	
Product Description	LANX Australis 5 Gang Switch	
Wiring system	1-pole switch	
Method of operation	Rocker	
Assembly arrangement	Basic element with full cover plate and grid	
Mounting method	Flush mounted	
Type of fastening	Mounting with screw	
Surface treatment	Gloss	
Nominal voltage	250 VAC	
Switching current	16 A	
Dimensions	116mm x 76mm	



Product Specifications and Characteristics (ETIM Industrial Standard)

These specifications and characteristics outline physical, mechanical, electrical details.		
Туре	/alue	
Brand Name	LANX	
Product Code	LXS6	
Product Description	LANX Australis 6 Gang Switch	
Wiring system	1-pole switch	
Method of operation	Rocker	
Assembly arrangement	Basic element with full cover plate and grid	
Mounting method	Flush mounted	
Type of fastening	Mounting with screw	
Surface treatment	Gloss	
Nominal voltage	250 VAC	
Switching current	16 A	
Dimensions	116mm x 76mm	