



SMARTCRIMPER[®] II

Professional Ratcheting Crimping Tool



Patented

- Fully ratchet crimp cycle with built-in safety release control
- Ratchet mechanism design insures positive crimps
- Heat-treated and black oxide finishing body and die sets
- Life span over 30,000 times
- Interchangeable die sets for wider range of applications. See p.33
- Pressure adjustment increases performance and productivity
- Customized die set is welcome

Item No.	KY8162T	Weight	563g
Description	Smart Vise Crimper II	Length	247mm





SMARTCRIMPER[®] III

Professional Ratcheting Crimping tool

















- Heavy duty steel construction
- Wide selection of interchangeable die sets. See P. 33
- Share the same die nests with KY8162T and KY8162
- Ratchet mechanism design insures positive crimps
- Comfortable TPR grips

Item No.	KY8163	Weight	585g
Description	Smart Vise Crimper III	Length	254mm

Features:

- Consistently high crimping quality
- Precise crimping dies for excellent crimping accuracy
- Heat treatment body gives the correct balance of hardening & tempering
- Ergonomically designed TPR bi-component grips



KY 8162/8163-01	KY 8162/8163-02	KY 8162/8163-03	KY 8162/8163-04
			
Suitable for insulated terminals/color code nests. 22 -10 AWG (0.5mm ² -6mm ²)	Suitable for non-insulated open barrel connector,commercial type 22-10 AWG (0.5mm ² -6mm ²)	Suitable for non-insulated terminals 22-8 AWG(0.5mm ² -10mm ²)	Suitable for RG58,RG-59/62,BNC/TNC coaxial connectors.Hex,0.255 (6.48mm), 0.213(5.41mm),0.068(1.73mm)
KY 8162/8163-05	KY 8162/8163-06	KY 8162/8163-07	KY 8162/8163-08
			
Suitable for RG-59,RG-6 F-type CATV connectors. Hex, 0.35(8.89mm) 0.32(8.13mm) 0.255 (6.48mm)	Suitable for RJ-45,8 position keyed or non-keyed modular plugs(excluding AMP)	Suitable for cord end terminals 22 -10 AWG (0.5mm ² -6mm ²)	Suitable for Fiber Optic SMA,SMB OR SFR connectors.Hex,0.042(1.07mm) ,0.068(1.73mm),0.151(3.84mm), 0.178(4.52mm), 0.213(5.41mm)
KY 8162/8163-09	KY 8162/8163-10	KY 8162/8163-11	KY 8162/8163-13
			
Suitable for 6P6C/RJ12, 6P4C/RJ11,6P2C modular plugs	Suitable for Fiber Optic connectors Hex,0.128(3.25mm),0.137(3.48mm), 0.190(4.83mm),and Round 0.137(3.48mm),0.190(4.83mm)	Suitable for cord end terminals 10 -6 AWG (6mm ² -16mm ²)	Suitable for flag terminals/color code nests. 18 -14 AWG (1mm ² -2.5mm ²)
KY 8162/8163-14	KY 8162/8163-15	KY8162 & KY8163 share the same die nests. Customized die nest is welcome!	
			
Suitable for non-insulated open barrel flag connector,22-14 AWG (0.5mm ² -2.5mm ²)	Suitable for non-insulated open barrel connector,24-10 AWG (0.25mm ² -6mm ²)		



EUROCRIMPER




Item No.	KY 8165	KY 8165A
Description	Eurocrimper	Eurocrimper W/Ratchet
Weight	371g	388g
Length	178mm	178mm




Square crimping profile automatically adjusts to the connector size



Lateral loading of the cord end sleeve into the position



Simple operation, use of comfort, satisfying performance



Square crimp connectors
KY8165 0.25-6mm²
KY8165A 0.25-10mm²



TELECRIMPER[®]



- Crimp 4P, 6P or 6P, 8P position modular connectors (RJ22, RJ11/I12, RJ45)
- Suitable for 8P8C, 6P6C or 6P4C, 4P4C, 4P2C
- Built-in patented length stop for precise length stripping
- Wire strip, cut and crimp all-in-one tool
- Blade cover reduces the risk of injury
- KYI 366R: Full cycle ratchet mechanism ensures accuracy of the crimping process
- KYI 366: with lock for easier storage

Item No.	KYI 366R	Weight	338g
Description	Telecrimper w/Ratchet	Length	203mm
Modular selection	Any pair from 4,6 or 6,8 poles		



TELECRIMPER[®]

Crimp 6,8 position modular connectors(RJ11/12 and RJ45)

Suitable for 8P8C, 6P6C and 6P4C

Engineering POM crimping frame, with broaching precision crimping component

Hardened metal constructed body

Embedded cable cutter, stripper and length stop

Ratchet system and vertical movement ensure accuracy

TPR bi-component handle

Patented

Item No.	KY1369	Weight	372g
Description	Ratchet Telecrimper	Length	195mm



Strip flat cable



Strip CAT5e and CAT6 round cable



Cut cable network



Squeeze handle to activate crimping action