



PUUSB2G PUUSB4G

*See current catalogue for further detail

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.

Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.


Do not wash the cover plates in water over 60°C.




Puma Range of USB's

PUUSB2G


- USB outlet approved to AS/NZS 60950.1
- The rating for the USB is 3.4A at 5V when one device is inserted then it divides to split the output when a device is inserted in each USB socket
- USB power supply contains temperature cut out and overload protection
- Fits standard wall boxes and mounting accessories
- Full cover plate
- Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow
- · Standard colour is white.





PUUSB4G

- USB outlet approved to AS/NZS 60950.1
- The rating for the USB is 2 x 3.1A at 5V when one device is inserted then it divides to split the output when a device is inserted in each USB socket 3.1A available across 2 USB outlets on the left and 3.1A available across 2 USB outlets on the right
- USB power supply contains temperature cut out and overload protection
- Fits standard wall boxes and mounting accessories
- Full cover plate
- Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow
- · Standard colour is white.





Catalogue Number	Description	
PUUSB2G	Fully Integrated 3.4A Dual USB Charger Plate	
PUUSB4G	Fully Integrated Quad USB Charger Plate	

Certification Number:

PUUSB2G / PUUSB4G: GMA-103194-006

GSM Electrical (Australia) Pty Ltd







PUPP2USB2G PUPP2USB2GAC PUPP2USB2GBK PUPP2USB2GACBK

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.

Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.


Do not wash the cover plates in water over 60°C.




Puma Range of USB's

PUPP2USB2G

- USB outlet approved to AS/NZS 60950.1
- Electrical power point approved to AS/NZS 3112
- The rating for the USB is 3.4A at 5V when one device is inserted then it divides to split the output when a device is inserted in each USB socket.
- · Fits standard wall boxes and mounting accessories
- · Full cover plate
- Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow
- Standard colour is white.
 Black and Brushed Aluminium covers also stocked please check availability







PUPP2USB2GAC

- Suitable for USB Type C applications up to 3 Amp at 5V.
- Ideal for phones that utilise USB Type C connections.
- Not suitable for lap tops or other devices requiring greater output than 3 Amp at 5V.
- USB outlet approved to AS/NZS 60950.1
- Electrical power point approved to AS/NZS 3112
- The overall electronic assembly rating is 3.4A at 5V; it then divides the output when devices are inserted in each USB socket.
- Fits standard wall boxes and mounting accessories
- Full cover plate
- Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow
- Standard colour is white. Black and Brushed Aluminium covers also stocked

- please check availability





Catalogue Number	Description		
PUPP2USB2G	Fully Integrated Dual USB Charger Power Point		
PUPP2USB2GAC	Fully Integrated Dual USB Charger Power Point (Type A & C)		
PUPP2USB2GBK	Fully Integrated Dual USB Charger Power Point, Black		
PUPP2USB2GACBK	Fully Integrated Dual USB Charger Power Point (Type A & C), Black		

Certification Number:

GMA-103194-EA-007

GSM Electrical (Australia) Pty Ltd







PUPP1G PUPP151G PUPP201G PUPPSW1G PUPPV1G

*See current catalogue for further detail

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.


Do not wash the cover plates in water over 60°C.




Puma Range of Single Power Points

- Switches approved to AS/NZS3133
- Socket outlets approved to AS/NZS3112
- Uses brass tunnel terminals that have the screws backed out for easier installation of cabling. Power point terminals have 5.7mm bore to suit 4 x 2.5mm² cable
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres
- Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow
- · Standard colour is white. Black also stocked please check availability
- · Typical example of size seen below:







Catalogue Number	Description
PUPP1G	Power Point Switched 1 Gang 10A 250V~
PUPP151G	Power Point Switched 1 Gang 15A 250V~
PUPP201G	Power Point Switched 1 Gang 20A 250V~
PUPPSW1G	Power Point Switched 1 Gang 10A 250V~ With Extra Switch 10AX/16A
PUPPV1G	Power Point Switched Vertical 1 Gang 10A 250V~

Certification Number:

PUPP1G: GMA-103194-EA-016 PUPP151G: GMA-500597-EA PUPPSW1G: GMA-501109-EA PUPPV1G: GMA-501807-EA

GSM Electrical (Australia) Pty Ltd







PUPP2G PUPP152G PUPPSW2G PUPPV2G

*See current catalogue for further detail

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.


Do not wash the cover plates in water over 60°C.




Puma Range of Double Power Points


- Switches approved to AS/NZS3133
- Socket outlets approved to AS/NZS3112
- Uses brass tunnel terminals that have the screws backed out for easier installation of cabling. Power point terminals have 5.7mm bore to suit 4 x 2.5mm² cable
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres
- Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow
- Standard colour is white. Black also stocked please check availability
- · Typical example of size seen below:





22.3mm





Catalogue Number	Description	
PUPP2G	Power Point Switched 2 Gang 10A 250V~	
PUPP152G	Power Point Switched 2 Gang 15A 250V~	
PUPPSW2G	Power Point Switched 2 Gang 10A 250V~ With Extra Switch 10AX/16A	
PUPPV2G	Power Point Switched Vertical 2 Gang, 10A 250V~	

Certification Number:

PUPP2G: GMA-103194-EA-013 PUPP152G: GMA-500830- EA PUPPSW2G: GMA-501260-EA PUPPV2G: GMA-501806-EA

GSM Electrical (Australia) Pty Ltd







PUSWV1G **PUSWV2G** PUSWV3G **PUSWV4G PUSWV5G PUSWV6G** PUSW1G PUSW2G PUSW3G PUSW4G PUSW5G PUSW6G PUSWPV1G PUSWPV2G **PUSWPV3G PUSWPV4G PUSWPV5G PUSWPV6G PUSWPVXG**

*See current catalogue for further detail

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.

Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.


Do not wash the cover plates in water over 60°C.



Puma Range of Switch Plates


- Switches are rated 10AX/16A 250V~ and approved to AS/NZS3133
- · Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres
- Uses brass tunnel terminals that have the screws backed out for easier installation of cabling.
 Switches are two way with looping terminal and suit 4 x 1.5mm² cabling with 4.1 bore
- · Slotted head screws for the terminals
- Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow
- Standard colour is white. Black also stocked please check availability
- Plates suit Trader Meerkat MESW mechs, including TV and Data; and Clipsal 30 Style* mechs and accessories
- Typical example of size seen below:








Example of cover plate with MERJ6CM data mech installed





Catalogue No.	Description	
PUSWV1G	Switch Vertical 1 Gang, 10AX/16A 250V~	
PUSWV2G	Switch Vertical 2 Gang, 10AX/16A 250V~	
PUSWV3G	Switch Vertical 3 Gang, 10AX/16A 250V~	
PUSWV4G	Switch Vertical 4 Gang, 10AX/16A 250V~	
PUSWV5G	Switch Vertical 5 Gang, 10AX/16A 250V~	
PUSWV6G	Switch Vertical 6 Gang, 10AX/16A 250V~	
PUSW1G	Switch Horizontal 1 Gang, 10AX/16A 250V~	
PUSW2G	Switch Horizontal 2 Gang, 10AX/16A 250V~	
PUSW3G	Switch Horizontal 3 Gang, 10AX/16A 250V~	
PUSW4G	Switch Horizontal 4 Gang, 10AX/16A 250V~	
PUSW5G	Switch Horizontal 5 Gang, 10AX/16A 250V~	
PUSW6G	Switch Horizontal 6 Gang, 10AX/16A 250V~	

Catalogue No.	Description	
PUSWPV1G	Switch Plate Vertical 1 Gang (Less Mech)	
PUSWPV2G	Switch Plate Vertical 2 Gang (Less Mech)	
PUSWPV3G	Switch Plate Vertical 3 Gang (Less Mech)	
PUSWPV4G	Switch Plate Vertical 4 Gang (Less Mech)	
PUSWPV5G	Switch Plate Vertical 5 Gang (Less Mech)	
PUSWPV6G	Switch Plate Vertical 6 Gang (Less Mech)	
PUSWPVXG	Blank plate with clip on surround	

The above catalogue numbers where "P" appears in number, refers to Cover Plate Only / Grid and Plate only (less mech)

* The Clipsal brand and associated products are Trademarks of Schneider Electric (Australia) Pty Ltd.

GSM Electrical (Australia) Pty Ltd, the TRADER brand and it's products, have no endorsement or affiliation with Schneider Electric Pty Ltd.

Horizontals available by request



MEERKAT Switch Mechanisms are used for all switch plates. Please refer to Meerkat Mech Matrix for range compatability.

When ordering BLACK product add "BK" to end of catalogue number, ie LEPP1GBK When ordering BRUSHED ALUMINIUM (cover) add "CBA" to end of catalogue number, ie LEPP1GCBA

Certification Number: GMA-103194-EA-011

GSM Electrical (Australia) Pty Ltd

www.gsme.com.au







PUPP2GCBA PUPP2USB2GCBA PUPPSW1GCBA PUPPSW2GCBA PUSWDPOV45CBA PUSWPV1GCBA PUSWPV2GCBA

*See current catalogue for further detail

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water



Puma Range of Switch & Socket Brushed Aluminium Covers

- Brushed Aluminium covers provide a great protective upgrade to switches and sockets and do not fingerprint as much as other materials while providing a similar look
- The brushed finish is complimented with the décor of other brushed stainless appliances or looks stylish on other backgrounds





Example of cover plate PUPPSW1GCBA



Example of cover plate with PUPPSW1GCBA with PUPPSW1G



Example of cover plate with PUPPSW1GCBA with PUPPSW1G

Catalogue Number	Description
PUPP2GCBA	Power Point Switched 2 Gang, Cover Brushed Aluminium
PUPPSW1GCBA	Power Point Switched 1 Gang With Extra Switch Cover Brushed Aluminium
PUPPSW2GCBA	Power Point Switched 2 Gang With Extra Switch Cover Brushed Aluminium
PUSWPV1GCBA	Switch Plate Vertical 1 Gang Cover Brushed Aluminium
PUSWPV2GCBA	Switch Plate Vertical 2 Gang Cover Brushed Aluminium
PUSWDPOV45CBA	Switch Oven Double Pole Cover Brushed Aluminium







PUSWVA1G PUSWVA2G

*See current catalogue for further detail

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.


Do not wash the cover plates in water over 60°C.



Puma Range of Architrave Switches

- Switches are rated 16AX/20A 250V~ and approved to AS/NZS60669-1
- Uses brass tunnel terminals that have the screws backed out for easier installation of cabling. Switches are two way with looping terminal and suit 4 x 1.5mm² cabling with 4.1mm bore
- · Slotted head screws for the terminals
- Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow
- · Standard colour is white.
- Typical example of size seen below:









example of cutting template supplied

PUSWVA1G







example of cutting template supplied

PUSWVA2G

Catalogue Number	Description
PUSWVA1G	Switch Vertical Architrave 1 Gang, 16AX/20A 250V~
PUSWVA2G	Switch Vertical Architrave 2 Gang, 16AX/20A 250V~



MEERKAT Switch Mechanisms are used for all switch plates. Please refer to Meerkat Mech Matrix for range compatability.

Certification Number: GMA-103194-EA-011

GSM Electrical (Australia) Pty Ltd







28.9

PUPP1GVP PUPP151GVP

*See current catalogue for further detail

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.



Puma Vandal Proof Range of Single Power Points

- Socket outlets approved to AS/NZS3112
- Sockets Have Shutters and are Double Pole
- Oval screw caps for extra adjustment on wall (no removable cover)
- Uses brass tunnel terminals that have the screws backed out for easier installation of cabling. Power point terminals have 5.7mm bore to suit 4 x 2.5mm² cable
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres
- Plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow
- Standard colour is white.
- Typical example of size seen below:



Catalogue Number	Description	
PUPP1GVP	Power Point Switched 1 Gang, 10A 250V~ Shuttered, Double Pole, VANDAL PROOF	
PUPP151GVP	Power Point Switched 1 Gang, 15A 250V~ Shuttered, Double Pole, VANDAL PROOF	

Certification Number:

TBC

GSM Electrical (Australia) Pty Ltd







PUPP2GVP PUPP2GVPBU PUPP2GVPRD

*See current catalogue for further detail

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.


Do not wash the cover plates in water over 60°C.



Puma Vandal Proof Range of Double Power Points

- Socket outlets approved to AS/NZS3112.
- Sockets Have Shutters and are Double Pole.
- Oval screw caps for extra adjustment on wall (no removable cover).
- Uses brass tunnel terminals that have the screws backed out for easier installation. of cabling. Power point terminals have 5.7mm bore to suit 4 x 2.5mm² cable.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow.
- Standard colour is white. Also available in Red and Blue. Please check availability.
- Typical example of size seen below:





Catalogue Number	Description	
PUPP2GVP	Power Point Switched 2 Gang, 10A 250V~ Shuttered, Double Pole, VANDAL PROOF	
PUPP2GVPBU Power Point Switched 2 Gang, 10A 250V~ Shuttered, Double Pole, VANDAL PROOF, Blue		
PUPP2GVPRD	Power Point Switched 2 Gang, 10A 250V~ Shuttered, Double Pole, VANDAL PROOF, Red	

Certification Number:

GMA-505204-FA

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067 P: 1300 301 838 F: 1300 301 778 E: service@gsme.com.au www.gsme.com.au



15 mm





PUSWV1GVP PUSWV2GVP **PUSWV3GVP PUSWV4GVP PUSWV5GVP PUSWV6GVP PUSWPVXGVP** PUSW1GVP PUSW2GVP **PUSW3GVP PUSW4GVP** PUSW5GVP **PUSW6GVP** PUSWPV1GVP **PUSWPV2GVP** PUSWPV3GVP **PUSWPV4GVP** PUSWPV5GVP PUSWPV6GVP

*See current catalogue for further detail

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.

Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.



Puma Vandal Proof Range of Switch Plates

- Switches approved to AS/NZS3133.
- Switches are rated 10AX/16A 250V~ and approved to AS/NZS3133.
- Mech back-up security screws on rear of installed mechs.
- Oval screw caps for extra adjustment on wall (no removable cover).
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Uses brass tunnel terminals that have the screws backed out for easier installation of cabling. Switches are two way with looping terminal and suit 4 x 1.5mm² cabling with 4.1 bore
- Slotted head screws for the terminals.
- Plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow.
- Standard colour is white.
- Plates suit Trader Meerkat MESW mechs, including TV and Data; and Clipsal 30 Style* mechs and accessories.
- Typical example of size seen below:







Example of cover plate with

	116 mm	Carrier Services
75 mm	13 mm	13 mm

Catalogue No.	Description	Catalogue No.	Description
PUSWV1GVP	Switch Vertical 1 Gang 10AX/16A 250V VANDAL PROOF	PUSWPV1GVP	Switch Plate Vertical 1 Gang (Less Mech) VANDAL PROOF
PUSWV2GVP	Switch Vertical 2 Gang 10AX/16A 250V VANDAL PROOF	PUSWPV2GVP	Switch Plate Vertical 1 Gang (Less Mech) VANDAL PROOF
PUSWV3GVP	Switch Vertical 3 Gang 10AX/16A 250V VANDAL PROOF	PUSWPV3GVP	Switch Plate Vertical 2 Gang (Less Mech) VANDAL PROOF
PUSWV4GVP	Switch Vertical 4 Gang 10AX/16A 250V VANDAL PROOF	PUSWPV4GVP	Switch Plate Vertical 3 Gang (Less Mech) VANDAL PROOF
PUSWV5GVP	Switch Vertical 5 Gang 10AX/16A 250V VANDAL PROOF	PUSWPV5GVP	Switch Plate Vertical 4 Gang (Less Mech) VANDAL PROOF
PUSWV6GVP	Switch Vertical 6 Gang 10AX/16A 250V VANDAL PROOF	PUSWPV6GVP	Switch Plate Vertical 5 Gang (Less Mech) VANDAL PROOF
PUSW1GVP	Switch Horizontal 1 Gang 10AX/16A 250V VANDAL PROOF	The above catalogue numbers where "P" appears in number, refers to Cover Plate Only / Grid and Plate only (less mech) * The Clipsal brand and associated products are Trademarks of Schneider Electric (Australia) Pty Ltd. GSM Electrical (Australia) Pty Ltd, the TRADER brand and it's products, have no endorsement or affiliation with Schneider Electric Pty Ltd.	
PUSW2GVP	Switch Horizontal 2 Gang 10AX/16A 250V VANDAL PROOF		
PUSW3GVP	Switch Horizontal 3 Gang 10AX/16A 250V VANDAL PROOF		
PUSW4GVP	Switch Horizontal 4 Gang 10AX/16A 250V VANDAL PROOF		
PUSW5GVP	Switch Horizontal 5 Gang 10AX/16A 250V VANDAL PROOF		
PUSW6GVP	Switch Horizontal 6 Gang 10AX/16A 250V VANDAL PROOF		

Certification Number:

GMA-103194-EA-011

PUSWPVXGVP

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067 P: 1300 301 838 F: 1300 301 778 E: service@gsme.com.au www.gsme.com.au

Blank Plate, VANDAL PROOF



Data Specification Sheet May 2020





PUBIG4 and PUBIG5

DOUBLE POLE

PUBIG4 PUBIG5 PUBIG4BK

CHBIG4MB & CHBIG5MB Mounting Blocks are used in conjunction with PUBIG4 and PUBIG5

(Separate Data Sheet available with measurements details)

*See current catalogue for further detail

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.

Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.



Puma BIG4 and BIG5 Fixed Power Points


PUBIG4


- Approved to AS/NZS3112.
- · Double pole surface mounted switched power point.
- 10A at 250V~
- Diameter 6mm terminal bores to suit 4 x 2.5 mm² cables. 6mm terminal bore.
- Fits 84 mm mounting centres.
- · Dolly indicator colour orange.
- · Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow.
- Colour: White / Black [PUBIG4BK] also stocked please check availability.

PUBIG5


- Approved to AS/NZS3112.
- · Double pole surface mounted switched power point.
- 10A at 250V
- Diameter 6mm terminal bores to suit 4 x 2.5 mm² cables. 6mm terminal bore.
- Fits 84 mm mounting centres.
- Dolly indicator colour orange.
- · Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow.
- Colour: White.
- · Mounting blocks include backing plates for situations where fully enclosed insulation is required.
- The BIG5 uses the same features and mounting system as the BIG4, but has the additional switched socket for convenience.

PUBIG4





PUBIG5



CHBIG4MB and CHBIG5MB Mounting Blocks are used in conjunction with PUBIG4 & PUBIG5 (Separate Data Sheet available with measurements details)

- 25mm high mounting block to suit CHBIG4 and CHBIG5
- Made from UV stabilised polycarbonate to avoid discolouring to yellow
- BIG4 Mounting blocks include backing plates for situations where fully enclosed insulation is required.
- BIG5 Mounting blocks include backing plates for situations where fully enclosed insulation is required.

Certification Number: GMA-103194-EA-011

GSM Electrical (Australia) Pty Ltd

www.gsme.com.au







CHBIG4MB CHBIG5MB

CHBIG4MB & CHBIG5MB Mounting Blocks are used in conjunction with PUBIG4 and PUBIG5

*See current catalogue for further detail

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.


Do not wash the cover plates in water over 60°C.

Puma BIG4 and BIG5 Fixed Power Points - Mounting Blocks

CHBIG4MB and CHBIG5MB Mounting Blocks are used in conjunction with PUBIG4 and PUBIG5.

- 25mm high mounting block to suit CHBIG4 and CHBIG5.
- Made from UV stabilised polycarbonate to avoid discolouring to yellow.
- BIG4 Mounting blocks include backing plates for situations where fully enclosed insulation is required.
- BIG5 Mounting blocks include backing plates for situations where fully enclosed insulation is required.





Certification Number: GMA-103194-EA-011

GSM Electrical (Australia) Pty Ltd







PU4X4 PU4X4BK CH4X4MB

*See currrent catalogue for further detail

CH4X4MB Mounting Block is used in conjunction with PU4X4 and PU4X4BK

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.



4 x 4 – 4 Sockets x 4 USB's

- Approved to AS/NZS3112 & AS/NZS60950-1
- Four sockets and four USB ports
- Wide spacing between sockets for wide plug bases.
- Mounting Block [CH4X4MB] suits both Puma and Cheetah 4X4 Products
- Dolly indicator colour orange
- The rating for the USB is 2 x 3.1A at 5V when one device is inserted then it divides to split the output when a device is inserted in each USB socket - 3.1A available across 2 USB outlets on the left and 3.1A available across 2 USB outlets on the right
- Fits standard wall boxes and mounting accessories
- Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow
- Standard colour is white. Black also stocked please check availability



CH4X4MB Mounting Block

- 31mm high mounting block to suit CH4X4 (34mm with backing plate)
- Made from UV stabilised polycarbonate to avoid discolouring to yellow
- Mounting block includes backing plate for situations where fully enclosed insulation is required



Catalogue Number	Description
PU4X4	Power Point Switched 4 Gang, 10A 250V~ and 4 USBs
PU4X4BK	Power Point Switched 4 Gang, 10A 250V~ and 4 USBs Black
CH4X4MB	Mounting Block (31mm deep) / with backing plate (34mm deep)

Certification Number: GMA-502543-EA

GSM Electrical (Australia) Pty Ltd







PUMB

*See currrent catalogue for further detail

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.



PUMB Mounting Block

- 84mm mounting centres
- Suitable for use with Puma Range
- Made from UV stabilised polycarbonate to avoid discolouring to yellow
- Overall dimensions (length 117.5mm x width 76mm x depth 14mm)





Back view

Catalogue Number	Description
PUMB	Puma Mounting Block



GSM Electrical (Australia) Pty Ltd





PUSWDPOV45 PUSWDPOV45H PUSWDPOV45BK PUSWDPOV45BKH

*See current catalogue for further detail

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.



Puma Oven Switches

- Switch approved to AS/NZS60669.1
- 45A 250V~, Double Pole
- · Terminal bore 6.5mm diameter
- Cover, plate and dolly is made from UV stabilised polycarbonate to avoid discolouring to yellow
- Standard colour is white. Also available in black.



Catalogue Number	Description
PUSWDPOV45	Switch Oven, 45A 250V~ Double Pole
PUSWDPOV45H	Switch Oven, 45A 250V~ Double Pole - Horizontal
PUSWDPOV45BK	Switch Oven, 45A 250V~ Double Pole, Black
PUSWDPOV45BKH	Switch Oven, 45A 250V~ Double Pole, Black - Horizontal

Certification Number:

PUSWDPOV45 / PUSWDPOV45H: GMA-502679

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067 P: 1300 301 838 F: 1300 301 778 E: service@gsme.com.au www.gsme.com.au



January 2020





←25mm →

PUPPSHELF PUPPUSBSHELF

For use with: PUPP2G PUPP2USB2G

Also suitable for use with Clipsal C2000 Series*

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.

Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.



Puma Power Point & USB Shelf

- Suitable for use with Puma style plates
- Includes screws and screw caps for secure retention on wall
- No need to remove wall plates from wall for installation of the shelf
- Also suitable for use with Clipsal C2000 Series*



PUPPSHELF



PUPPUSBSHELF



Example of the shelf in use with PUPP2G



Example of the shelf in use with PUPP2USB2G



Example of the PUPPSHELF in use




Example of the PUPPUSBSHELF in use







*All similar products are Clipsal references and Clipsal is the Trademark of Schneider Electric Pty Ltd.









PUENTP3G (Empty) PUENTP3GTVA (Populated)

PU = Puma **ENT** = Entertainment **P** = Plate **3G** = 3 GANG

TVA - Television Accessories (Foxtel TV, Cat 6 Data and HDMI (2.0) all included)

Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.

Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.



Puma Entertainment Plates

PUENTP3G (Empty) and PUENTP3GTVA (Populated)

- Protrudes from wall 31mm
- · Mounting centres standard 84mm
- · PUMA style cover finishes the appearance


Product comes in two forms, empty apertures or pre populated:

PUENTP3G (Empty) for use with any form of Trader or Clipsal* style clip in Audio Visual or Data Jack products

PUENTP3GTVA (Populated) Comes with Cat6 Data Jack [MERJ6CM], HDMI (2.0) Flat Ribbon clip in cable [MEHDMIFR] and Foxtel approved F-type connector [METVFFCMFX] with 90° screwed adaptor [METVFFA90FX].

WARNING: This product is not approved for use with 250V~ switches

PUENTP3G - EMPTY



PUENTP3GTVA - POPULATED







Jack clip in plate comes separate for easy installation and termination



Pre-assembled and terminated plate can be rotated into position and clipped into place.



View shows underside where plate has been completely clipped in.



View shows assembly where plate has been completely clipped in ready for installation.





Examples of alternative solutions showing audio visual jacks being fitted to the Puma Entertainment Plate product

*Clipsal is registered trademarks of Schneider Electric (Australia) Pty Ltd. Reference is made for suitability of use only. GSM Electrical (Australia) Pty Ltd, the TRADER brand and it's products, have no endorsement or affiliation with Schneider Electric Pty Ltd.

GSM Electrical (Australia) Pty Ltd

